CONTENTS

VOLUME 124 • NUMBER 1 • JULY 2004

1 Olaf Sparre Andersen. *Editorial*

3 James J. Knierim. *Commentary:* How to avoid going bump in the night: object and place representations in the hippocampus

7 Robert S. Kass. *Commentary:* Sodium channel inactivation goes with the flow

9 Bruno Rivard, Yu Li, Pierre-Pascal Lenck-Santini, Bruno Poucet, and Robert U. Muller. Representation of objects in space by two classes of hippocampal pyramidal cells

27 Chung-Chin Kuo, Wan-Yu Chen, and Ya-Chin Yang. Block of tetrodotoxin-resistant Na^+ channel pore by multivalent cations: gating modification and Na^+ flow dependence

43 Weiyan Li and Richard W. Aldrich. Unique inner pore properties of BK channels revealed by quaternary ammonium block

59 Makoto Sugita, Chikara Hirono, and Yoshiki Shiba. Gramicidin-perforated patch recording revealed the oscillatory nature of secretory Cl^- movements in salivary acinar cells

71 Anna Boccaccio, Franco Conti, Baldomero M. Olivera, and Heinrich Terlau. Binding of κ-conotoxin PVIIA to *Shaker* K^+ channels reveals different K^+ and Rb^+ occupancies within the ion channel pore

83 Gilad Gibor, Daniel Yakubovich, Asher Peretz, and Bernard Attali. External barium affects the gating of KCNQ1 potassium channels and produces a pore block via two discrete sites

103 Correction

1*a* Abstracts of Papers at the Fifty-Eighth Annual Meeting of the Society of General Physiologists

35*a* Index to Authors of Abstracts

VOLUME 124 • NUMBER 2 • AUGUST 2004

105 Michael Eisenbach. *Commentary:* Towards understanding the molecular mechanism of sperm chemotaxis

109 David N. Sheppard. *Commentary:* CFTR channel pharmacology: novel pore blockers identified by high-throughput screening

115 Johannes Solzin, Annika Helbig, Qui Van, Joel E. Brown, Eilo Hildebrand, Ingo Weyand, and U. Benjamin Kaupp. Revisiting the role of H^+ in chemotactic signaling of sperm

125 Chatchai Muanprasat, N.D. Sonawane, Danieli Salinas, Alessandro Taddei, Luis J.V. Galietta, and A.S. Verkman. Discovery of glycine hydrazide pore-occluding CFTR inhibitors: mechanism, structure–activity analysis, and in vivo efficacy

139 Andrei L. Kindzelskii, Victor M. Elner, Susan G. Elner, Dongli Yang, Bret A. Hughes, and Howard R. Petty. Toll-like receptor 4 (TLR4) of retinal pigment epithelial cells participates in transmembrane signaling in response to photoreceptor outer segments

151 George Shapovalov and Henry A. Lester. Gating transitions in bacterial ion channels measured at 3 μs resolution

163 Youshan Yang, Yangyang Yan, and Fred J. Sigworth. Can Shaker potassium channels be locked in the deactivated state?

173 TRUDE HAUG, DANIEL SIGG, SERGIO CIANI, LIGIA TORO, ENRICO STEFANI, and RICCARDO OLCESE. Regulation of K^+ flow by a ring of negative charges in the outer pore of BK_{Ca} channels. Part I: aspartate 292 modulates K^+ conduction by external surface charge effect

185 TRUDE HAUG, RICCARDO OLCESE, LIGIA TORO, and ENRICO STEFANI. Regulation of K^+ flow by a ring of negative charges in the outer pore of BK_{Ca} channels. Part II: neutralization of aspartate 292 reduces long channel openings and gating current slow component

VOLUME 124 • NUMBER 3 • SEPTEMBER 2004

199 JEFFREY W. KARPEN. *Commentary:* Ion channel structure and the promise of bacteria: cyclic nucleotide-gated channels in the queue

203 CRINA M. NIMIGEAN, TANIA SHANE, and CHRISTOPHER MILLER. A cyclic nucleotide modulated prokaryotic K^+ channel

211 MATTHEW C. TRUDEAU and WILLIAM N. ZAGOTTA. Dynamics of Ca^{2+}-calmodulin–dependent inhibition of rod cyclic nucleotide-gated channels measured by patch-clamp fluorometry

225 KAREL TALAVERA, MIK STAES, ANNELIES JANSSENS, GUY DROOGMANS, and BERND NILIUS. Mechanism of arachidonic acid modulation of the T-type Ca^{2+} channel α_{1G}

239 GONZALO PIZARRO and EDUARDO RÍOS. How source content determines intracellular Ca^{2+} release kinetics. Simultaneous measurement of $[Ca^{2+}]$ transients and $[H^+]$ displacement in skeletal muscle

259 HUI ZOU, LAWRENCE M. LIFSHITZ, RICHARD A. TUFT, KEVIN E. FOGARTY, and JOSHUA J. SINGER. Using total fluorescence increase (signal mass) to determine the Ca^{2+} current underlying localized Ca^{2+} events

273 DAVID M. BROWE and CLIVE M. BAUMGARTEN. Angiotensin II (AT1) receptors and NADPH oxidase regulate Cl^- current elicited by β1 integrin stretch in rabbit ventricular myocytes

VOLUME 124 • NUMBER 4 • OCTOBER 2004

289 JUNYUAN GAO, XIURONG SUN, FRANCISCO J. MARTINEZ-WITTINGHAN, XIAOHUA GONG, THOMAS W. WHITE, and RICHARD T. MATHIAS. Connections between connexins, calcium, and cataracts in the lens

301 RAFAEL E. GARCÍA-FERREIRO, DANIEL KERSCHENSTEINER, FELIX MAJOR, FRANCISCO MONJE, WALTER STÜHMER, and LUIS A. PARDO. Mechanism of block of hEag1 K^+ channels by imipramine and astemizole

319 TETSUYA KITAGUCHI, MANANA SUKHAREVA, and KENTON J. SWARTZ. Stabilizing the closed S6 gate in the Shaker K_v channel through modification of a hydrophobic seal

333 UMBERTO BANDERALI, HÉLÈNE KLEIN, LINE GARNEAU, MANUEL SIMOES, LUCIE PARENT, and RÉMY SAUVÉ. New insights on the voltage dependence of the $K_{Ca}3.1$ channel block by internal TBA

349 ALEXEY KUZMENKIN, FRANCISCO BEZANILLA, and ANA M. CORREA. Gating of the bacterial sodium channel, NaChBac: voltage-dependent charge movement and gating currents

357 LINDSEY CIALI SANTARELLI, JIANGUO CHEN, STEFAN H. HEINEMANN, and TOSHINORI HOSHI. The β1 subunit enhances oxidative regulation of large-conductance calcium-activated K^+ channels

371 ZHIQIANG QU and CRISS HARTZELL. Determinants of anion permeation in the second transmembrane domain of the mouse bestrophin-2 chloride channel

383 MARTIN PAUKERT, ELENA BABINI, MICHAEL PUSCH, and STEFAN GRÜNDER. Identification of the Ca^{2+} blocking site of acid-sensing ion channel (ASIC) 1: implications for channel gating

395 DIEGO ALVAREZ DE LA ROSA, TEODOR G. P UNESCU, WILLEM J. ELS, SANDY I. HELMAN, and CECILIA M. CANESSA. Mechanisms of regulation of epithelial sodium channel by SGK1 in A6 cells

409 JINGSONG ZHOU, BRADLEY S. LAUNIKONIS, EDUARDO RÍOS, and GUSTAVO BRUM. Regulation of Ca^{2+} sparks by Ca^{2+} and Mg^{2+} in mammalian and amphibian muscle. An RyR isoform-specific role in excitation–contraction coupling?

429 Efthymia Tsina, Chunhe Chen, Yiannis Koutalos, Petri Ala-Laurila, Marco Tsacopoulos, Barbara Wiggert, Rosalie K. Crouch, and M. Carter Cornwall. Physiological and microfluorometric studies of reduction and clearance of retinal in bleached rod photoreceptors

VOLUME 124 • NUMBER 5 • NOVEMBER 2004

445 Siro Luvisetto, Tommaso Fellin, Michele Spagnolo, Bruno Hivert, Paul F. Brust, Michael M. Harpold, Kenneth A. Stauderman, Mark E. Williams, and Daniela Pietrobon. Modal gating of human $Ca_V2.1$ (P/Q-type) calcium channels: I. The slow and the fast gating modes and their modulation by β subunits

463 Tommaso Fellin, Siro Luvisetto, Michele Spagnolo, and Daniela Pietrobon. Modal gating of human $Ca_V2.1$ (P/Q-type) calcium channels: II. The b mode and reversible uncoupling of inactivation

475 Colin Ehnes, Ian C. Forster, Katja Kohler, Andrea Bacconi, Gerti Stange, Jürg Biber, and Heini Murer. Structure–function relations of the first and fourth predicted extracellular linkers of the type IIa Na^+/P_i cotransporter: I. Cysteine scanning mutagenesis

489 Colin Ehnes, Ian C. Forster, Andrea Bacconi, Katja Kohler, Jürg Biber, and Heini Murer. Structure–function relations of the first and fourth extracellular linkers of the type IIa Na^+/P_i cotransporter: II. Substrate interaction and voltage dependency of two functionally important sites

505 Ivette Aymerich, Marçal Pastor-Anglada, and F. Javier Casado. Long term endocrine regulation of nucleoside transporters in rat intestinal epithelial cells

513 Seiko F. Okada, Wanda K. O'Neal, Pingbo Huang, Robert A. Nicholas, Lawrence E. Ostrowski, William J. Craigen, Eduardo R. Lazarowski, and Richard C. Boucher. Voltage-dependent anion channel-1 (VDAC-1) contributes to ATP release and cell volume regulation in murine cells

527 Irena Gertsberg, Vardit Hellman, Michal Fainshtein, Simy Weil, Shai D. Silberberg, Michael Danilenko, and Zvi Priel. Intracellular Ca^{2+} regulates the phosphorylation and the dephosphorylation of ciliary proteins via the NO pathway

541 Harley T. Kurata, L. Revell Phillips, Thierry Rose, Gildas Loussouarn, Stefan Herlitze, Hariolf Fritzenschaft, Decha Enkvetchakul, Colin G. Nichols, and Thomas Baukrowitz. Molecular basis of inward rectification: polyamine interaction sites located by combined channel and ligand mutagenesis

555 Won Yong Lee and Steven M. Sine. Invariant aspartic acid in muscle nicotinic receptor contributes selectively to the kinetics of agonist binding

569 Eduardo Solessio, Shobana S. Mani, Nicolas Cuenca, Gustav A. Engbretson, Robert B. Barlow, and Barry E. Knox. Developmental regulation of calcium-dependent feedback in *Xenopus* rods

587 Michael C. Puljung, Viviana M. Berthoud, Eric C. Beyer, and Dorothy A. Hanck. Polyvalent cations constitute the voltage gating particle in human connexin37 hemichannels

605 Daniel Ursu, Ralph Peter Schuhmeier, Marc Freichel, Veit Flockerzi, and Werner Melzer. Altered inactivation of Ca^{2+} current and Ca^{2+} release in mouse muscle fibers deficient in the DHP receptor γ_1 subunit

VOLUME 124 • NUMBER 6 • DECEMBER 2004

619 Emilio Carbone. *Commentary:* Ion trafficking through T-type Ca^{2+} channels: a way to look at channel gating position

623 Sebastian Barg and Patrik Rorsman. *Commentary:* Insulin secretion: a high-affinity Ca^{2+} sensor after all?

627 Anita L. Zimmerman. *Commentary:* Capturing ion channel gating: a little salt on the tail does the trick

631 Carlos A. Obejero-Paz, I. Patrick Gray, and Stephen W. Jones. Y^{3+} block demonstrates an intracellular activation gate for the α1G T-type Ca^{2+} channel

641 Yan Yang and Kevin D. Gillis. A highly Ca^{2+}-sensitive pool of granules is regulated by glucose and protein kinases in insulin-secreting INS-1 cells

653 Qun-Fang Wan, Yongming Dong, Hua Yang, Xuelin Lou, Jiuping Ding, and Tao Xu. Protein kinase activation increases insulin secretion by sensitizing the secretory machinery to Ca^{2+}

663 Kimberley B. Craven and William N. Zagotta. Salt bridges and gating in the COOH-terminal region of HCN2 and CNGA1 channels

679 Toby W. Allen, O.S. Andersen, and Benoit Roux. On the importance of atomic fluctuations, protein flexibility, and solvent in ion permeation

691 Sho-Ya Wang, Jane Mitchell, Edward Moczydlowski, and Ging Kuo Wang. Block of inactivation-deficient Na^+ channels by local anesthetics in stably transfected mammalian cells: evidence for drug binding along the activation pathway

703 Mei Zhang, Jie Liu, and Gea-Ny Tseng. Gating charges in the activation and inactivation processes of the hERG channel

719 Yuan Wei, Dao-Hong Lin, Rowena Kemp, Ganesh S.S. Yaddanapudi, Alberto Nasjletti, John R. Falck, and Wen-Hui Wang. Arachidonic acid inhibits epithelial Na channel via cytochrome P450 (CYP) epoxygenase-dependent metabolic pathways

729 Yu-Yang Zhang, Janice L. Robertson, Daniel A. Gray, and Lawrence G. Palmer. Carboxy-terminal determinants of conductance in inward-rectifier K channels

741 Derek R. Laver, Erin R. O'Neill, and Graham D. Lamb. Luminal Ca^{2+}–regulated Mg^{2+} inhibition of skeletal RyRs reconstituted as isolated channels or coupled clusters

759 Steven D. Gage and William R. Kobertz. KCNE3 truncation mutants reveal a bipartite modulation of KCNQ1 K^+ channels

773 Correction